



Janney Roofing, LLC.

Brand Guidelines

Contents

Logo

| | |
|-------------------|----|
| Avatar + Logotype | 3 |
| Safety Area | 4 |
| Color | 5 |
| Grayscale | 6 |
| Logo Usage | 7 |
| Incorrect Usage | 8 |
| Typography | 9 |
| Typographic Style | 10 |

Web


| | |
|----------------|----|
| Web Typography | 12 |
|----------------|----|

3. Avatar + Logotype

There are two versions of the Janney Roofing logo — a stacked version and a linear version.


Both versions are comprised of black type and a white circle avatar.

Stacked Version



Janney Roofing, LLC.

Linear Version



Janney
Roofing,
LLC.

4. Safety Area

A safety area around the logo ensures visibility and impact.

Stacked version:

The minimum safety zone measures exactly 2x the height of the space between the top of the “Janney Roofing, LLC.” text and bottom of the avatar.

Linear version:

The minimum safety zone measures exactly 2x the width of the space between the left side of the “Janney Roofing, LLC.” text and right side of the avatar. Use of the safety zone between the logo and other graphic elements (images, type other logos, etc.) will help Janney Roofing retain a strong presence wherever the logo appears. This is a minimum safety area; where possible, more space can be allowed around the logo.

Stacked Version



Linear Version



5. Color

Pantone

Black: Neutral Black C

Grey: 877 C

CMYK

Black: 0, 0, 0, 87

Grey: 0, 0, 0, 38

RGB

Black: 33, 33, 33


Grey: 158, 158, 158

Web Hex Colors

Black: #212121

Grey: #9E9E9E

Stacked Version



Janney Roofing, LLC.

Linear Version



Janney
Roofing,
LLC.

6. Greyscale

Aside from strictly black and white print applications, the grayscale version of the logo can be used in situations where the logo needs to be secondary. Examples include, but are not limited to, when the logo is used as a broadcast “bug” or in print and/or web applications where the logo is placed on every page.

True Grayscale

Black: 100% K

Grey: 40% K

Pantone

Black: Neutral Black C

Grey: 877 C

CMYK

Black: 0, 0, 0, 87

Grey: 0, 0, 0, 38

RGB

Black: 33, 33, 33

Grey: 158, 158, 158

Web Hex Colors

Black: #212121

Grey: #9E9E9E

Stacked Version



Janney Roofing, LLC.

Linear Version




Janney
Roofing,
LLC.

7. Logo Usage

These are examples of correct logo usage on a variety of backgrounds. For optimal visibility, it is important to provide adequate contrast between the logo and the background. In general, the logo should be used over white backgrounds, or backgrounds that are predominantly white or light in tone.

Only the approved colors (see Color (5)) should be used.



8. Incorrect Usage

Consistent use of the Janney Roofing logo in all print, broadcast and web applications is important to the integrity and impact of the branding package. The logo is a fundamental piece of the branding initiative and, as such, should never be compromised.



Do not adjust the size relationship of the avatar or logotype



Janney Roofing, LLC.



Janney Roofing, LLC.

Do not distort the logo



Janney Roofing, LLC.

Do not use unapproved colors in the avatar or logotype



Janney Roofing, LLC.

Do not set the logotype over the avatar



Janney Roofing, LLC.

Do not use an alternative typeface

9. Typography

The use of a consistent family of type and subsequent system of use will help to effectively establish the Janney Roofing identity. With continued use and adherence, this visual reinforcement will aid in branding Janney Roofing by increasing recognizability.

The Playfair Display & Source Sans Pro family should be used in all print, broadcast and web applications.

In general, all headlines and list items should be set in Playfair Display.
In general, all body copy should be set in Source Sans Pro.

Playfair Display

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@#\$\$%^&*()

For use with all major headers, body copy titles, list items and/or call outs.

Source Sans Pro

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@#\$\$%^&*()

For use with all major headers, body copy titles, list items and/or call outs

Example Text:

Headline

Our Mission

Body Copy

Janney Construction Services is a family-founded roofing company that was built on honesty and high quality work at a price that even the “average Joe” can afford. We are a family-operated company that takes as much pride in our work as we do our last name.

10. Typographic Style

“Janney Roofing, LLC.” whether in logo or text form, should always include a comma between “Roofing” and “LLC.” — there are no exceptions to this.

All text should be left justified. Also, the leading (line height) should be reduced by one or two whole point sizes where possible. However, ascenders and descenders should NEVER touch.

In general, all text should be colored as follows: white over a colored background or a dark section of photograph/footage; text should be black when placed over a white or light background or lighter section of a photograph/footage.

Language Style

The default style for all language use is the Associate Press Stylebook. For all grammar, punctuation and language issues, please see the 2010 AP Stylebook. For more information, visit www.ap.org.

11. Web Typography

When possible, typography on the web should be made to match the typography in print and broadcast applications. In some cases, given discrepancies between browser and end-user platforms some work-arounds may be necessary.

In general, in cases where Gotham is unable to be used, Helvetica should be used throughout. Always use Arial as a secondary font choice in the CSS code.

See Typography (9) and Typographic Style (10) for more specific instructions.

Web Usage (CSS) example:

```
h1{  
font-family: Playfair Display, Serif; font-weight: Regular;  
font-size: __;  
}
```

```
p{  
font-family: Source Sans Pro, Sans-Serif; font-size: __;  
}
```



Janney Roofing, LLC.

janneyroofing.com